


DOOR AND WINDOW DETAIL



FLEXIBLE FLASHING TAPE TO FINISH OVER ENTIRE LENGTH OF THE TOP OF THE HEAD FLASHING

BUILDING PAPER/WALL WRAP TAPED TO WINDOW HEAD WITH FLASHING TAPE AS PER E2/AS1

DPC HEAD FLASHING TO CONTINUE PAST SIDE FLASHINGS TO ENSURE DISCHARGE FROM HEAD TO SILL

FLEXIBLE FLASHING TAPE, AS PER E2/AS1, TO ATTACH THE BUILDING PAPER/WRAP AROUND OPENING

HEAD AND SIDE FLASHINGS MADE FROM 150mm DPC

SIDE U SHAPED DPC FLASHING TO CONTINUE PAST TOP OF SILL FLASHING

SILL FLASHING TO PROJECT 150mm PAST OPENING

DPC SILL FLASHING, BENT UP 100mm INSIDE FRAMED OPENING

SILL TRAY FLASHING FROM 300mm DPC STAPLED TO FRAME


SILL TRAY FLASHING INSTALLED BY OWNER, ON TOP OF THE SILL FRAMING AND BENT DOWN WITH 200mm DRAPED INTO THE CAVITY SPACE

**NOTE:**  
1. WINDOW FRAME NOT SHOWN. DPC SILL FLASHING IS INSTALLED, BEFORE WINDOW IS INSTALLED. SIDE & HEAD FLASHING INSTALLED AFTER WINDOW IS INSTALLED.  
2. TYPICAL HEAD AND JAMB DETAILS APPLY AT ALL DOORS INCLUDING GARAGE DOORS.  
3. DETAIL APPLIES AT METER BOXES AND SQUARE EDGE PENETRATIONS OF DIMENSION LARGER THAN 100mm.


WINDOW FLASHING DETAIL - PERSPECTIVE VIEW

SCALE NTS


DOOR AND WINDOW DETAIL



TYPICAL WINDOW SILL DETAIL  
ALUMINIUM WINDOW FRAME  
OPTION 1  
SCALE 1:5




TYPICAL WINDOW SILL DETAIL  
ALUMINIUM WINDOW FRAME  
OPTION 2  
SCALE 1:5



TYPICAL WINDOW SILL DETAIL  
ALUMINIUM WINDOW FRAME  
OPTION 3  
SCALE 1:5


DOOR AND WINDOW DETAIL




TYPICAL WINDOW SILL DETAIL -  
TIMBER WINDOW SILL JOINERY DETAIL  
SCALE 1:5

FIGURE	TITLE			
	POWERPANEL 50mm WALL SYSTEM TYPICAL WINDOW SILL DETAIL - TIMBER WINDOW SILL JOINERY DETAIL			
3.48A	SCALE	SHEET SIZE	DRAWN	DATE
	1:5 @ A3	A3	DA	20.12.13
DESIGN GUIDE REFERENCE HELIT003 AUGUST 2013		SHEET NO.	CHECK	REVISION
			DG	G

DOOR AND WINDOW DETAIL




WINDOW HEADER -  
ALTERNATIVE DETAIL  
SCALE 1:5




TIMBER WINDOW HEAD -  
JOINERY DETAIL  
SCALE 1:5

DOOR AND WINDOW DETAIL




WINDOW HEADER DETAIL  
SCALE 1:5



GARAGE HEAD DETAIL  
SCALE 1:5


NOTE  
DRAINAGE OF WINDOW AND DOOR SILLS, IN EITHER ALUMINIUM OR TIMBER, SHOULD BE DIRECTED TO THE OUTSIDE OF THE BUILDING, ON TOP OF THE WINDOW SILL.

DOOR AND WINDOW DETAIL



TYPICAL DOOR JAMB DETAIL

SCALE 1:5



GARAGE DOOR JAMB DETAIL

SCALE 1:5

NOTE  
DRAINAGE OF WINDOW AND DOOR SILLS, IN EITHER ALUMINIUM OR  
TIMBER, SHOULD BE DIRECTED TO THE OUTSIDE OF THE BUILDING, ON  
TOP OF THE WINDOW SILL.

CSR

hebel


The better way to build

CSR Hebel is a division of CSR Building Products (NZ) Ltd.


Unit 3, 38b Birmingham Drive  
P O Box 29354  
Christchurch 8540, New Zealand  
  
Phone: (03) 336 5500  
Email: [info@csrhebel.co.nz](mailto:info@csrhebel.co.nz)  
Web: [www.csrhebel.co.nz](http://www.csrhebel.co.nz)

FIGURE	TITLE			
	POWERPANEL 50mm WALL SYSTEM TYPICAL DOOR JAMB - GARAGE DOOR JAMB DETAIL			
3.51	SCALE	SHEET SIZE	DRAWN	DATE
DESIGN GUIDE REFERENCE HELIT003 AUGUST 2013	1:5 @ A3	A3	DA	20.12.13
		SHEET NO.	CHECK	REVISION
		DG		G

DOOR AND WINDOW DETAIL



SLIDING DOOR SILL DETAIL - OPTION 1 -  
CONCRETE SILL <270mm  
SCALE 1:20



SLIDING DOOR SILL DETAIL - OPTION 2  
CONCRETE SILL >270mm  
SCALE 1:20